

A NOTE ON ADDITIVE GROUPS OF SOME SPECIFIC  
TORSION-FREE RINGS OF RANK THREE  
AND MIXED ASSOCIATIVE RINGS

ALIREZA NAJAFIZADEH

*Department of mathematics*  
*Payame Noor University, I.R. of Iran*

**e-mail:** najafizadeh@pnu.ac.ir

AND

MATEUSZ WORONOWICZ

*Institute of Mathematics*  
*University of Białystok, Poland*

**e-mail:** mworonowicz@math.uwb.edu.pl

**Abstract**

It is studied how rank two pure subgroups of a torsion-free Abelian group of rank three influences its structure and type set. In particular, the criterion for such a subgroup  $B$  to be a direct summand of a torsion-free Abelian group of rank three with the finite type set containing the greatest element which does not belong to the type set of  $B$ , is presented. Some results for nil groups and the square subgroup of a decomposable torsion-free Abelian group are also achieved. Moreover, new results for mixed Abelian groups supporting only associative rings are obtained. In particular, the first example of an Abelian group supporting only associative rings but not only commutative rings is given.

**Keywords:** rank, type, square subgroup, additive groups of rings.

**2010 Mathematics Subject Classification:** 20K15, 20K21, 20K27.

REFERENCES

- [1] A.M. Aghdam, *On the strong nilstufe of rank two Abelian groups*, Acta. Sci. Math. (Szeged) **49** (1985) 53–61.
- [2] A.M. Aghdam, *Square subgroup of an Abelian group*, Acta. Sci. Math. **51** (1987) 343–348.

- [3] A.M. Aghdam, *Rings on indecomposable torsion free groups of rank two*, Int. Math. Forum **1** (2006) 141–146.
- [4] A.M. Aghdam and A. Najafizadeh, *On the indecomposable torsion-free abelian groups of rank two*, Rocky Mountain J. Math. **42** (2012) 425–438.  
doi:10.1216/RMJ-2012-42-2-425
- [5] R.R. Andruszkiewicz, M. Woronowicz, *Some new results for the square subgroup of an Abelian group*, Comm. Algebra **44** (2016) 2351–2361.  
doi:10.1080/00927872.2015.1044107
- [6] R.R. Andruszkiewicz, M. Woronowicz, *A torsion-free abelian group exists whose quotient group modulo the square subgroup is not a nil-group*, Bull. Aust. Math. Soc. **94** (2016) 449–456.  
doi:10.1017/S0004972716000435
- [7] R.R. Andruszkiewicz, M. Woronowicz, *On additive groups of associative and commutative rings*, Quaest. Math. **40** (2017) 527–537.  
doi:10.2989/16073606.2017.1302019
- [8] R.R. Andruszkiewicz, M. Woronowicz, *On the square subgroup of a mixed SI-group*, Proc. Edinburgh Math. Soc. (2017), to appear.
- [9] R. Baer, *Abelian groups without elements of finite order*, Duke Math. J. **3** (1937) 68–122.  
doi:10.1215/S0012-7094-37-00308-9
- [10] R.A. Beaumont, H.S. Zuckerman, *A characterization of the subgroups of the additive rationals*, Pacific J. Math. **1** (1951) 169–177.
- [11] R.A. Beaumont and R. J. Wisner, *Rings with additive group which is a torsion-free group of rank two*, Acta. Sci. Math. (Szeged) **20** (1959) 105–116.
- [12] S. Feigelstock, *On the tensor product of exact sequences of modules over a Dedekind ring*, Archiv der Math. **25** (1974) 598–601.
- [13] S. Feigelstock, *On the type set of groups and nilpotence*, Comment. Math. Univ. St. Pauli **25** (1976) 159–165.
- [14] S. Feigelstock, Additive groups of rings. Vol. 1 (Pitman Advanced Publishing Program, Boston, 1983).
- [15] S. Feigelstock, Additive groups of rings. Vol. 2 (Research Notes in Mathematics 169, Longman, London, 1988).
- [16] S. Feigelstock, *Additive groups of commutative rings*, Quest. Math. **23** (2000) 241–245.  
doi:10.2989/16073600009485973
- [17] L. Fuchs, Infinite Abelian groups. Vol. 2 (Academic Press, New York, 1973).
- [18] F. Hasani, F. Karimi, A. Najafizadeh and M.Y. Sadeghi, *On the square subgroups of decomposable torsion-free abelian groups of rank three*, Adv. Pure Appl. Math. **7** (2016) 259–265.  
doi:10.1515/apam-2016-0018

- [19] F. Karimi, H. Mohtadifar, *On the rings on torsion-free groups*, Mat. Vesnik **65** (2013) 326–333.
- [20] J.E. Koehler, *The type set of a torsion-free group of finite rank*, Illinois J. Math. **1** (1965) 66–86.
- [21] R. Ree and R.J. Wisner, *A note on torsion-free nil groups*, Proc. Amer. Math. Soc. **7** (1956) 6–8.
- [22] A.E. Stratton, *The type set of torsion-free rings of finite rank*, Comment. Math. Univ. Sancti Pauli **27** (1978) 199–211.
- [23] A.E. Stratton and M.C. Webb, *Abelian groups nil modulo a subgroup need not have nil quotient group*, Publ. Math. Debrecen **27** (1980) 127–130.
- [24] S. Thomas, *The classification problem for torsion-free abelian groups of finite rank*, J. Amer. Math. Soc. **16** (2003) 233–258.
- [25] M. Woronowicz, *A note on additive groups of some specific associative rings*, Ann. Math. Sil. **30** (2016) 219–229.  
doi:10.1515/amsil-2015-0013
- [26] M. Woronowicz, *A note on the square subgroups of decomposable torsion-free abelian groups of rank three*, Ann. Math. Sil (2017), to appear.

Received 22 June 2017

Revised 28 August 2017

Accepted 8 September 2017

