

## HYPER RL-IDEALS IN HYPER RESIDUATED LATTICES

MAHMOOD BAKHSHI

*Department of Mathematics*  
*University of Bojnord, Bojnord, Iran*

**e-mail:** bakhshi@ub.ac.ir

### Abstract

In this paper, we introduce the notion of a (strong) hyper RL-ideal in hyper residuated lattices and give some properties and characterizations of them. Next, we characterize the (strong) hyper RL-ideals generated by a subset and give some characterizations of the lattice of these hyper RL-ideals. Particularly, we prove that this lattice is algebraic and compact elements are finitely generated hyper RL-ideals, and obtain some isomorphism theorems. Finally, we introduce the notion of nodal hyper RL-ideals in a hyper residuated lattice and investigate their properties. We prove that the set of nodal hyper RL-ideals is a complete Brouwerian lattice and under suitable operations is a Heyting algebra.

**Keywords:** residuated lattice, MV-algebra, BL-algebra, hyper residuated lattice, hyper ideal.

**2010 Mathematics Subject Classification:** 03B50, 06D35, 03E72.

### REFERENCES

- [1] M. Bakhshi, *Nodal filters in residuated lattices*, J. Intel. Fuzzy Syst. **30** (2016) 2555–2562.  
<https://doi.org/10.3233/IFS-151804>
- [2] T.S. Blyth, *Lattices and Ordered Algebraic Structures* (Springer-Verlag, 2005).
- [3] R.A. Borzooei, M. Bakhshi and O. Zahiri, *Filter theory of hyper residuated lattices*, Quasigroups Related Syst. **22** (2014) 33–50.
- [4] R.A. Borzooei, A. Hasankhani, M.M. Zahedi and Y.B. Jun, *On hyper K-algebras*, J. Math. Japonica **1** (2000) 3305–3313.
- [5] C.C. Chang, *Algebraic analysis of many-valued logics*, Trans. Amer. Math. Soc. **88** (1958) 467–490.  
<https://doi.org/10.1090/S0002-9947-1958-0094302-9>

- [6] Sh. Ghorbani, A. Hasankhani and E. Eslami, *Hyper MV-algebra*, Set-Valued Math. Appl. **1** (2008) 205–222.
- [7] P. Hájek, *Metamathematics of Fuzzy Logic* (Kluwer Academic Publisher, Dordrecht, 1998).
- [8] J. Mittas and M. Konstantinidou, *Sur un nouvelle génération de la notion de treillis. Les supertreillis et certaines de leurs propriétés généraux*, Ann. Sci. Univ. Blaise Pascal (Clermont II), Sér. Math. Fasc. **25** (1989) 61–83.
- [9] H.P. Sankapanavar and S. Burris, *A Course in universal algebra*, Graduated Text Math. **78** (1981).
- [10] M. Ward and R.P. Dilworth, *Residuated lattices*, Trans. Amer. Math. Soc. **45** (1939) 335–354.  
<https://doi.org/10.2307/1990008>
- [11] O. Zahiri, R.A. Borzooei and M. Bakhshi, *Quotient hyper residuated lattices*, Quasi-groups Related Syst. **20** (2012) 125–138.

Received 27 August 2020  
Revised 23 November 2020  
Accepted 23 November 2020